

DESCRIPTION of Section, Quarter Section and Quarter quarter Section Corners of Section

Township \_\_\_\_\_ North, Range \_\_\_\_\_ East of \_\_\_\_\_ Principal Meridian.

N. B.—The variation of needle adopted in establishing corners is \_\_\_\_\_

No.	Government Corners.	Bearing Trees.	In. dia.	Courses they bear.	Links Distant.	Bearing Trees.	In. dia.	Courses they bear.	Links Distant.
1	N. W. Sec. cor. Identified								
2	N. E. Sec. cor. Identified								
3	S. E. Sec. cor. Identified								
4	S. W. Sec. cor. Identified								
5	N. $\frac{1}{4}$ Sec. cor. Identified								
6	E. $\frac{1}{4}$ Sec. cor. Identified	new	Pine	10 N-50 $\frac{1}{2}$ E 105		Pine	12 N72-E		130 $\frac{1}{2}$
7	S. $\frac{1}{4}$ Sec. cor. Identified								
8	W. $\frac{1}{4}$ Sec. cor. Identified								
No.	SUBDIVISION CORNERS.	same trees as were used in 1871. J.S. Williams but new Bearings							
1	Center $\frac{1}{4}$ Sec. cor.	new	Wt oak	15 S-43 $\frac{1}{2}$ E	23	Hum oak	12 N85 $\frac{1}{2}$ E		39 $\frac{1}{2}$
2	North $\frac{1}{4}$ - $\frac{1}{4}$ s N. W. qr.								
3	East $\frac{1}{4}$ - $\frac{1}{4}$ s N. W. qr.								
4	South $\frac{1}{4}$ - $\frac{1}{4}$ s N. W. qr.								
5	West $\frac{1}{4}$ - $\frac{1}{4}$ s N. W. qr.								
6	Center $\frac{1}{4}$ - $\frac{1}{4}$ s N. W. qr.								
7	North $\frac{1}{4}$ - $\frac{1}{4}$ s N. E. qr.								
8	East $\frac{1}{4}$ - $\frac{1}{4}$ s N. E. qr.								
9	South $\frac{1}{4}$ - $\frac{1}{4}$ s N. E. qr.								
10	Center $\frac{1}{4}$ - $\frac{1}{4}$ s N. E. qr.								
11	East $\frac{1}{4}$ - $\frac{1}{4}$ s S. E. qr.								
12	South $\frac{1}{4}$ - $\frac{1}{4}$ s S. E. qr.								
13	West $\frac{1}{4}$ - $\frac{1}{4}$ s S. E. qr.								
14	Center $\frac{1}{4}$ - $\frac{1}{4}$ s S. E. qr.								
15	South $\frac{1}{4}$ - $\frac{1}{4}$ s S. W. qr.								
16	West $\frac{1}{4}$ - $\frac{1}{4}$ s S. W. qr.								
17	Center $\frac{1}{4}$ - $\frac{1}{4}$ s S. W. qr.								

NAMES OF SWORN ASSISTANTS.

CHAINMEN.	FLAGMEN.	AXMEN.
Wm. Niere Fred. Zronner		

MINUTES.

Beginning at the identified Quarter Post on south side of section 8 Town 16-R-5-E and East at 6-D-V 40 chains & 9 links to the identified South East corner of said section set stone. Then ran North at 42-V 39 chains & 96 links found no Bearing or Post Post later on Established Quarter Post at this spot & made 2 new Bearings. Then ran 39 chains and 96 links to the identified North East corner of said section stone then started at the Established Quarter Post on East side of section and ran west at 6-D-V 40 chains & 7 links to center of section Established Post at center and made 2 new Bearings. Then ran west 40 chains & 92 links to Quarter Post on west side of section at a tree at school house. Then went to North East corner of section and ran west at 6-D-V 40 chains to the Quarter Post on north side of section. Then south at 5-D-V 40 chains to center of section then sighted south to Quarter Post side of section at place of Beginning. Then ran out 3 acres & 4 Rods. 5 $\frac{1}{2}$  chain square for Wm. Zronner upon which her buildings were standing.

M. C. Smith Co. Surveyor

M1508160500001

# CERTIFICATE OF SURVEY.

STATE OF WISCONSIN, } ss. I. M. C. Smith Surveyor, in and for the County and State aforesaid, do  
ADAMS COUNTY. }  
hereby certify that I have surveyed and subdivided Section 9 Township 16 North of Range 5 East of 11th  
Principal Meridian, as represented by the courses and distances on the following plat, and annexed field-notes of survey:  
Established the center of the section at the point of intersection of straight quarter lines.  
Established all quarter-quarter corners upon the section boundary at proportional distances between known section and quarter section  
corners, according to the original field-notes of the Government survey.  
Established all lost corners at proportionate distances between known corners, according to original field-notes of the Government survey:



Plat of Section 9, Township 16 North, Range 5 East of 11th Principal Meridian. Scale, 80 chains to 6  
inches. The figures in red ink are the lengths of the lines as stated in the field-notes of the Government survey.  
Declination of the Magnetic Meridian from the True Meridian \_\_\_\_\_ East.  
Surveyed and subdivided the 5 day of Jan A. D. 1909, in accordance with the State Laws and Instructions of  
the Commissioner of the General Land Office, and recorded on pages \_\_\_\_\_ of Register in the County Surveyor's office.  
WITNESS my hand this 5 day of Jan A. D. 1909.  
M. C. Smith Surveyor.

The above work was done Mrs Doemmer, John May & others

M1508160500001

Wm  
Fred  
Begin  
Jesse  
David  
29  
Dun  
96  
Haw  
11  
20  
14  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

# CERTIFICATE OF SURVEY.

STATE OF WISCONSIN, }  
ADAMS COUNTY. }


ss. M. L. Smith County Surveyor, in and for the County and State of Wisconsin

hereby certify that I have surveyed and subdivided Section 8 Township 16 North of Range 5 East of the Principal Meridian, as represented by the courses and distances on the following 1 plat, and annexed field-notes of survey:

Established the center of the section at the point of intersection of straight quarter lines.

Established all quarter-quarter corners upon the section boundary at proportional distances between known section and quarter-quarter corners, according to the original field-notes of the Government survey.

Established all lost corners at proportionate distances between known corners, according to original field-notes of the Government survey.



Plat of Section 8, Township 16 North, Range 5 East of 4<sup>th</sup> Principal Meridian. Scale, 1 inch = 40 feet. The figures in red ink are the lengths of the lines as stated in the field-notes of the Government survey.

Declination of the Magnetic Meridian from the True Meridian                      East.

Surveyed and subdivided this 31<sup>st</sup> Day of October A. D. 1921, in accordance with the State Laws and Instructions of the Commissioner of the General Land Office, and recorded on pages                      of Register in the County Surveyor's office.

WITNESS my hand this 31<sup>st</sup> day of October A. D. 1921.

M. L. Smith County

*The above work was done at the request of J. W. Hamstengel and August Hamstengel*

M150816050000)

DESCRIPTION of Section, Quarter Section and Quarter-quarter Section Corners of Section  
 Township \_\_\_\_\_ North, Range \_\_\_\_\_ East of \_\_\_\_\_ Principal Meridian. 99

N. B. - The variation of needle adopted in establishing corners is \_\_\_\_\_

No.	Government Corners	Bearing Trees	In. dia.	Courses they bear	Links Distant	Bearing Trees	In. dia.	Courses they bear	Links Distant
1	N. W. Sec. cor. Identified								
2	N. E. Sec. cor. Identified								
3	S. E. Sec. cor. Identified								
4	S. W. Sec. cor. Identified	New Pine		5 N 87 1/2 E	338				
5	N. 1/4 Sec. cor. Identified								
6	E. 1/4 Sec. cor. Identified								
7	S. 1/4 Sec. cor. Identified								
8	W. 1/4 Sec. cor. Identified								
<b>Subdivision Corners.</b>									
1	Center 1/4 Sec. cor.								
2	North 1/4-1/4s N. W. qr.								
3	East 1/4-1/4s N. W. qr.								
4	South 1/4-1/4s N. W. qr.								
5	West 1/4-1/4s N. W. qr.								
6	Center 1/4-1/4s N. W. qr.								
7	North 1/4-1/4s N. E. qr.								
8	East 1/4-1/4s N. E. qr.								
9	South 1/4-1/4s N. E. qr.								
10	Center 1/4-1/4s N. E. qr.								
11	East 1/4-1/4s S. E. qr.								
12	South 1/4-1/4s S. E. qr.								
13	West 1/4-1/4s S. E. qr.								
14	Center 1/4-1/4s S. E. qr.								
15	South 1/4-1/4s S. W. qr.								
16	West 1/4-1/4s S. W. qr.								
17	Center 1/4-1/4s S. W. qr.								

NAMES OF SWORN ASSISTANTS.

CHAINMEN	FLAGMEN	AXMEN
J. Lambert August Hamstengel		

MINUTES.

commencing at the Identified southwest corner of section 8-T-16-R-5-E. Thence east on the section line at S-D-V 40 chains, to the Identified Quarter Post on the south side of the section set Post at 20 chains. Thence North on the section line on the west side of the section 20 chains & set stone. Thence east on the 8th line, 20 chains & set Post. Thence from North from the 8th Post on the south side of the section 20 chains to said Post at the N.E. corner of the 8 W 1/4 of the 8 W 1/4 of said section said tract containing 40 acres

M. C. Smith, County Surveyor

MIS08160500001