PUBLIC LAND SURVEY MONUMENT RECORD

HARRISON TYPE OF MONUMENT: ADAMS COUNTY COORDINATES, NAD 83 (2007)

N. 129872.023

E. 578351.479


- — — ___ DATUM_ ELEVATION-

03/30/2020 FIELD WORK DATE:_


BASIS FOR MONUMENT LOCATION

1982 - PLS 1444 HARRISON WAS SET ON LINE AND SINGLE PROPORTIONATE MEASURE BETWEEN ADJACENT SECTION CORNERS. NO EVIDENCE OF ORIGINAL CORNERS OR BEARING TREES.

2020 - PLS 2675 FOUND HARRISON MONUMENT 2"± BELOW THE ROAD SURFACE AND 2 TIES. THE MONUMENT AGREES WITH BOTH TIES. ACCEPTED THE HARRISON MONUMENT AS THE CORNER LOCATION. SET 3 NEW TIES AND MEASURED TO THE EXISTING TIES.



(INDICATE CORNER BY "X")



DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR


5/21 2020

-TIE SKETCH

NOTE: THE CORNER LANDS 8.7'± NORTH OF GALE DR. CENTERLINE



- SET 3/4" x 18" IRON REBAR, 1.50#/FT
- FOUND 3/4" IRON ROD
- FOUND 1-1/4" O.D. IRON PIPE
- FOUND HARRISON MONUMENT
- STEEL FENCE POST
- VINYL "T" POST



Government Land Corner Certificate		<i> 8</i>
ADAMSCounty	CORNER NO	
TYPE OF MONUMENT: HARRISON	SECTION	3
STATE PLANE COORDINATES: N	TOWN	7
E	RANGE	
ELEVATION — M.S.L. DATUM:		
FIELD BOOK: 92 PAGE 58		
DRAWN BY: STH		-* J
BASIS FOR MONUMENT LOCATION	=	
Show info such as: History of corner, with reference to Vol.		ĺ
and pg., dates, surveyor, exact description of monument	LOCATION	
landowner remarks, etc. (Use reverse side if necessary)	SEAL: (Indicated by 'X'))
This corner set on line and single proportionate measure between adjacent Section corners. No	Westernam Contraction	Negen
evidence of original corners or bearing trees.	WHIN SCOW	SINGE
	LANCE J.	
ϕ	HABECK S-1444	\$
	Stevens Poir Wis.	11, /P
	11	
	SUR'	1 Contract
	DATA GUOVINI HERE ON	-
	DATA SHOWN HERE ON CERTIFIED CORRECT:	
	Janus J. Ha	hech
	Registered Land Surveyor	
	DATE: <u>5/3/82</u>	
TIE SKETCH		· · · · · · · · · · · · · · · · · · ·
Show at least four ties, also fence lines, roads, tono, size		
arrive at corner. /2" BIK OAK.	* K -	
NO BLAZE X SIGN -7 4 +		
BLK SOLL CHIST CHIST CONTROL		
8"Oak/BT 10"Oak/BT X top	×	
DEAD WE WAS TO THE TOTAL TO THE TOTAL TOTA		
* %, S.g., S.g.,		
<u>+</u>	<u>×</u> — — — — — — — — — — — — — — — — — — —	
G G GALE 90' To		IVE
13.0	· .	
3/4"ROD 36-1	Ø 1"I.P. set é cap □ On fence 'Line	
(CSM)	on time time	
M54)	<i>ẋ</i> 	
Fig		

MAINTENANCE RECORD

DATE	BY WHOM	REMARKS
2-12-86	6R. 55	6.K.
12-19-90	KZ-SG	ok
1	16-55	OK .
	JG-55	2- NEW TIES
1-31-06	J6	OK MANUEL COME
3.10-11	6R	OAKS TO WW DEND OR DYING
		·