TOWN

06 ADAMS COUNTY COUNTY CORNER NO: 86

ROMPORTOL ID: 41506210020

PUBLIC LAND SURVEY MONUMENT RECORD


HARRISON TYPE OF MONUMENT: ADAMS COUNTY COORDINATES, NAD 83 (2007) N. 143464.141 E. 539176.470 ELEVATION- - ---DATUM FIELD WORK DATE: 07/05/2018

BASIS FOR MONUMENT LOCATION


1980 - PLS 1478 CALCULATED THE CORNER EQUIDISTANT AND ON LINE BETWEEN ADJACENT SECTION CORNERS. THIS LOCATION FITS THE ORIGINAL SURVEY NOTES VERY WELL. NO EXCAVATION WAS MADE AS THE AREA IS CURRENTLY UNDER CULTIVATION. NO EVIDENCE OF PREVIOUS MONUMENTATION WAS FOUND. NO RECORD OF ANY MONUMENTATION SUBSEQUENT TO THE ORIGINAL WAS FOUND. SET A HARRISON MONUMENT AND TIED OUT.

2018 - PLS 2994 FOUND A HARRISON MONUMENT 8" BELOW THE GROUND SURFACE, FOUND NO EVIDENCE OF ANY OF THE TIES OR WITNESSES, VERIFIED THE CORNER TO BE ON LINE AND EQUIDISTANT WITH THE SE AND SW CORNERS. ACCEPTED THE HARRISON MONUMENT AS THE BEST EVIDENCE OF THE CORNER LOCATION. SET 4 NEW TIES AND MEASURED TO THE TIES.

FIELD



(INDICATE CORNER BY "X")



DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR

8-10-18 DATE

- TIE SKETCH

NOTE: THE CORNER FALLS 9'± EAST OF THE CENTERLINE OF THE TRAIL AND 1'± EAST OF A 15" CORNER POST.



SET 18" DEEP EIFI D FIELD TRAIL MIXED WOODS TRAIL MIXED WOODS

SFT 18" DEFE

- SET 3/4" x 18" IRON REBAR, 1.50#/FT
- FOUND HARRISON MONUMENT
- VINYL "T" POST

Adams County		CORNER NO	
TYPE OF MONUMENT: Harrison	,	SECTION _	28
TATE PLANE COORDINATES: N		TOWN _	15
E		RANGE _	6
ELEVATION — M.S.L. DATUM:			
THETA ANGLE:		1	7
FIELD BOOK: 23 PAGE 85			
DRAWN BY: G. Rhinehort	j		i 7.
		++	N
BASIS FOR MONUMENT LOCATION	ļ }		
	İ		i
Show info such as: History of corner, with reference to Vol.	<u></u>	-ii	
and pg., dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; andowner remarks, etc. (Use reverse side if necessary)	/ 1	LOCATION	
interest something out (of the foreign state of necessary)	SEAL:	indicated by 'X')	
Set corner equidistant and on line between adja	cent		
section corners. This location fits the original	7. L.	"CONS"	10
survey notes very well. No excavation was made	as guil	19-19/1	THE STATE OF THE S
the area is currently under cultivation. No evof previous monumentation was found. No record	of any	GREGORY P. RHINEHART S-1478 Wisconsin Rapids Wis.	
monumentation subsequent to the original was f	ound.	GREGORY P. RHINEHART	\~ {
Tableques of the orange was 1	3	S-1478	
MAINTENANCE RECORD		Wis.	· •
Date Init. Remarks			8
11-13-81 TH-DN MONOY TIES OIK		AMD	
3-4-86 SE TIES O.K.	- · ·	SUR SUR	, J.
3-18-91 JG ONE GONE COR OR	DATA SHO	WN HERE ON	
1-16-95 SS ZNEW TIES - LOCATE N 10.10		CORRECT:	. ~
FROM REMAINING TIES & Sing.		ecrom T	Khinch
5-12-06 JG ALL OK	Registered La	nd Strveyer	c. 1 -
farr. Sat 3" bais - Surting 7/12/80	DATE:	9/1	8/80
77.20			
TITL CITTOOT I			
HE SKETCH			
how at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to		ı	
show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to	1		
how at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to		19	
how at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to	1 (10	19	
how at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to rive at corner.	1		
how at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to	1		124D - ONLY
how at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to rrive at corner.	1	(NOT BLD 1)	(ZGD - ONLY D V101101779)
show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to rrive at corner.	1		(ZCD - ONLY N VIOIN 17 4)
show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to rrive at corner.	1		(26,0 - 02/24) U V10120 17-4)
show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to rrive at corner.	1	(NOT BLD 76 WIRNE 1,	
show at least four ties, also fence lines, roads, topo, size and type of witness trees and if off road - best way to rrive at corner.	1		
Show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to arrive at corner.	1	(NOT BLD 76 WIRNE 1,	
Arcedan Soller	PINE S	(NOT BLD 76 WIRNE 1,	
Show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to wrive at corner.	1	(NOT BLD 76 WIRNE 1,	
Show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to wrive at corner.	PINE S	(NOT BLD 76 WIRNE 1,	
Show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to arrive at corner.	PINE S	(NOT BLD 76 WIRNE 1,	
show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to rrive at corner. **Redam To'z **Red	PINE S	(NOT BLD 76 WIRNE 1,	
how at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to rrive at corner.	PINE S	(NOT BLD 76 WIRNE 1,	

MAINTENANCE RECORD

DATE	BY WHOM	REMARKS
Nov 110	<u>4</u> 5	FONCE CORNER POST
		NE'LY OF POWER POLE TYPE
		FENCE CORNER POST
<u> </u>		
· ·		
1	1	