

PUBLIC LAND SURVEY MONUMENT RECORD

TYPE OF MONUMENT: HARRISON (BROKEN-TOP)
 ADAMS COUNTY COORDINATES, NAD 83 (2007)

N. 185896.933

E. 501912.632


ELEVATION- _____ DATUM _____

FIELD WORK DATE: 01/13/2021

BASIS FOR MONUMENT LOCATION

1976 - PLS 878 EXCAVATED WITH BACKHOE. FOUND 6"x6"x12" PINK SANDSTONE IN FRACTURED CONDITION. REPLACED WITH HARRISON MONUMENT AND PILED STONES AROUND ITS BOTTOM. STONE CALLED FOR IN COUNTY SURVEYOR RECORDS, VOL. 1, PAGE 101.


2021 - PLS 2675 FOUND HARRISON (BROKEN-TOP) MONUMENT 12"± BELOW THE ROAD SURFACE AND DID NOT RECOVER ANY EXISTING TIES OR WITNESSES. ACCEPTED THE HARRISON (BROKEN-TOP) AS THE CORNER LOCATION. SET 3 NEW TIES AND MEASURED TO A FOUND PROPERTY IRON.



LOCATION

(INDICATE CORNER BY "X")

SEAL:




DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR


DATE 2/23/2021

- TIE SKETCH

NOTE: THE CORNER LANDS 1.5'± SOUTH OF CENTERLINE OF EDGEWOOD AVE.



- SET 3/4" x 18" IRON REBAR, 1.50#/FT
- FOUND 3/4" IRON ROD
- ⊕ FOUND HARRISON (BROKEN TOP) MONUMENT
- ┘ STEEL FENCE POST
- └ VINYL "T" POST



ADAMS COUNTY

Survey Monument Record

TYPE OF MONUMENT: Harrison standard

STATE PLANE COORDINATES: N _____

E _____

ELEVATION — M.S.L. DATUM: _____

THETA ANGLE: _____


FIELD BOOK: file PAGE _____

CORNER NO. 1013 (44)

SECTION 8

TOWN 16

RANGE 5



LOCATION
(Indicated by 'X')

SEAL:



BASIS FOR MONUMENT LOCATION

(Use reverse side if necessary)

Show info such as: History of corner, with reference to Vol. and pg, dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; landowner remarks, etc.

Excavated with backhoe. Found 6x6x12" pink sandstone in fractured condition. Replaced with harrison monument and piled stones around its bottom.

Stone called for in County surveyor records, Vol. 1, Page 101.

- CORNER OK KV-SK 10/1/80
- ALL OK 4/15/85 D.K
- ALL OK 2-8-90 KZ
- " " 1-11-95 JG-SS
- ALL OK 2-10-00 T.W.SS.
- ALL OK 10-31-05-JG
- 2 NEW 10-26-10 SS

CERTIFIED CORRECT:

Anthony B. Kiedrowski
Registered Land Surveyor

DATE: 8/26/76

TIE SKETCH

(Show at least four ties)

NOTE:
Ties in trees
to nail in disc.

