17 TOWN

OT RANGE ADAMS COUNTY CORNER NO: 17

ROMPORTOL ID: 41707042000

PUBLIC LAND SURVEY MONUMENT RECORD

HARRISON TYPE OF MONUMENT: ADAMS COUNTY COORDINATES, NAD 83 (2007)

N. 221599.201

E. 573007.322


ELEVATION-DATUM

03/26/2019 FIELD WORK DATE:


BASIS FOR MONUMENT LOCATION

1980 - PLS 878 DUG FOR CORNER. COULD FIND NO EVIDENCE OF A MONUMENT OR ANY RESURVEYS IN AREA. SET CORNER PROPORTIONATE MEASUREMENT BETWEEN SECTION CORNERS ON A STRAIGHT LINE IN ACCORDANCE WITH ORIGINAL NOTES OF RECORD. EDM EQUIPMENT.

2019 - PLS 2675 FOUND HARRISON MONUMENT 4" BELOW THE ROAD SURFACE AND 1 WITNESS. THE MONUMENT AGREES WITH THE EXISTING WITNESS. ACCEPTED THE HARRISON AS THE CORNER LOCATION. SET 3 NEW TIES AND MEASURED TO A FOUND PROPERTY IRON AND THE EXISTING WITNESS.



(INDICATE CORNER BY "X")



DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.


PROFESSIONAL LAND SURVEYOR

-TIE SKETCH

NOTE: THE CORNER LANDS 4.3'± EAST OF 4TH AVE. CENTERLINE.



- SET 3/4" x 18" IRON REBAR, 1.50#/FT
- FOUND 3/4" IRON ROD
- FOUND HARRISON MONUMENT
- STEEL FENCE POST
- VINYL "T" POST
- WITNESS TREE



Government Land Corner Certificate CORNER NO. _ County **SECTION** HARRISON TYPE OF MONUMENT: _ TOWN STATE PLANE COORDINATES: N_ RANGE ELEVATION - M.S.L. DATUM: . THETA ANGLE: _ _ PAGE _//8 FIELD BOOK: _ R. NUBER DRAWN BY: ... BASIS FOR MONUMENT LOCATION Show info such as: History of corner, with reference to Vol. and pg., dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; LOCATION landowner remarks, etc. (Use reverse side if necessary) (Indicated by 'X') SEAL: SHITH SCONDING Dug for corner. Could find no evidence of a monument or any resurveys in area. Set corner proportionate measurement ANTHONY B. between Section corners on a straight **KIEDROWSKI** line in accordance with original notes S-878 of record. EDM equipment. Wisconsin Rapids, DATA SHOWN HERE ON CERTIFIED CORRECT: A.H. BKod Registered Land Surveyor TIE SKETCH Show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to arrive at corner. 67.59 6"BLACK OAK

MAINTENANCE RECORD

| DATE | BY WHOM | REMARKS |
|-----------|---------|-------------------|
| 5.26-82 | Pt-55 | O.K. |
| 1-23-87 | JL- 55 | O.K. |
| 1-3-92 | GR-36 | OR |
| 5-8-97 | JG | OK |
| 8-20-02 | TG | OK |
| 9-19-07 | 16 | ok_ |
| 1-27-12 | MS | 2 GONE 3 NEW TIES |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| l | | |
| | | |
| \ <u></u> | | |