# OT RANGE ADAMS COUNTY COUNTY CORNER NO: 23

ROMPORTOL ID: 41707060000

# PUBLIC LAND SURVEY MONUMENT RECORD


**HARRISON** TYPE OF MONUMENT: ADAMS COUNTY COORDINATES, NAD 83 (2007) N. 218934.957 E. 562466.767 **ELEVATION-**DATUM\_

03/27/2019 FIELD WORK DATE:

#### BASIS FOR MONUMENT LOCATION

1980 - PLS 878 FOUND A 1-1/2" ANGLE IRON, REPLACED IT WITH A HARRISON MONUMENT. LOCATION ACCEPTED AS THE CORRECT AFTER A THOROUGH COMPARISON OF ORIGINAL NOTES, AND A TRAVERSE OF SECTION 5, 6, 7, 8. NO RESURVEYS WERE OF RECORD.

2019 - PLS 2675 FOUND HARRISON FLUSH WITH THE GROUND AND 3 WITNESSES. THE MONUMENT AGREES WITH THE 3 WITNESSES. ACCEPTED THE HARRISON AS THE CORNER LOCATION. SET 4 NEW TIES AND MEASURED TO THE EXISTING WITNESSES.



(INDICATE CORNER BY "X")




DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR

#### - TIE SKETCH

NOTE: THE CORNER FALLS 83.5'± NORTHEAST OF DEERBORN AVE./6TH CT. CENTERLINE.





- SET 3/4" x 18" IRON REBAR, 1.50#/FT
- FOUND HARRISON MONUMENT
  - VINYL "T" POST
- WITNESS TREE

### Government Land Corner Certificate CORNER NO. ADAMS \_County **SECTION** TYPE OF MONUMENT: <u>HARRISON</u> **TOWN** STATE PLANE COORDINATES: N\_ RANGE ELEVATION — M.S.L. DATUM: THETA ANGLE: \_\_ 83 FIELD BOOK: \_\_\_ PAGE \_ PAUL KIEDROWSKI DRAWN BY: \_\_\_\_ BASIS FOR MONUMENT LOCATION Show info such as: History of corner, with reference to Vol. and pg., dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; LOCATION landowner remarks, etc. (Use reverse side if necessary) (Indicated by 'X') ANTHONY B. KIEDROWSKI S-878 Wisconsin Rapids, Wis. SEAL: Found a 1½" angle iron, replaced it with MISCONS a Harrison monument. Location accepted as correct after a thorough comparison of original notes, and a traverse of section 5,6,7,8. No resurveys were of record. DATA SHOWN HERE ON CERTIFIED CORRECT: Anthony (cool Registered Land Surveyor DATE: 5/3/80TIE SKETCH Show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to arrive at corner. 7" White Oak /BT How Indian 8" White Oak /87 R.R. Tie Fence Post/DND SIGN GONE 97 22'± Ave

## MAINTENANCE RECORD

DATE	BY WHOM	REMARKS
6-11-82	PK-SS	oK_
2-4-87	55	0/5
12-12-91	K7-3G	014
5-8-97	J6	1-GONE, I-NEW TIE. MON OR
2-06-02	JC	OK
9-12-07	Ja	OK
02/01/12	GR	OK
	<u> </u>	