OT RANGE ADAMS COUNTY COUNTY CORNER NO: 39

ROMPORTOL ID: 41707112000

PUBLIC LAND SURVEY MONUMENT RECORD

TYPE OF MONUMENT:_

HARRISON

ADAMS COUNTY COORDINATES, NAD 83 (2007)

N. 216339.982

E. 583633.059

ELEVATION- - - DATUM


FIELD WORK DATE:_

03/21/2019


BASIS FOR MONUMENT LOCATION

1981 - PLS 878 NO RECORD OF RESURVEY. NO EVIDENCE OF CORNER FOUND. CORNER IS SET ON LINE AND EQUIDISTANT BETWEEN SECTION CORNERS.

2019 - PLS 2675 FOUND HARRISON FLUSH WITH THE GROUND AND 2 WITNESSES. THE MONUMENT APPEARS TO BE LEANING BUT AGREES WITH BOTH FOUND WITNESSES AND IT WAS VERIFIED TO BE ON A NEAR STRAIGHT LINE AND EQUIDISTANT BETWEEN THE NORTHEAST AND SOUTHEAST CORNER OF SECTION 11. ACCEPTED THE HARRISON AS THE CORNER LOCATION. SET 4 NEW TIES AND MEASURED TO THE WITNESSES.



(INDICATE CORNER BY "X")



DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR

-TIE SKETCH




SET 3/4" x 18" IRON REBAR, 1.50#/FT

FOUND HARRISON MONUMENT

VINYL "T" POST

WITNESS TREE



Government Land Corn	ner Certificate		ORNER NO 39
ADAMS	County		11
TYPE OF MONUMENT: Harris	200		OWN /7
STATE PLANE COORDINATES: N	1 43° 57' 34.2"		77
	89°37'04.1"	K.	ANGE
ELEVATION — M.S.L. DATUM: _ THETA ANGLE:			
FIELD BOOK: 87	PAGE _/26A		
DRAWN BY: R. NUBER		<u> </u>	
			IN
BASIS FOR MONUMENT LOC	CATION		
Show info such as: History of corner, wand pg., dates, surveyor; exact descri	vith reference to Vol.	L_i	
and pg., dates, surveyor; exact descri- replaced; if location computed, by tape landowner remarks, etc. (Use reverse si	ed or EDM traverse; ide if necessary)	(Indi	OCATION icated by 'X')
No record of resurvey. No	o evidence of	SEAL:	
corner found. Corner is	set on line and	S. S	SCONSINIA
equidistant between Section	on corners.	ASTITUTE OF	A THE
	-	Ž /	ANTHONY B. KIEDROWSKI
		三 公	\$-878 🔀
		1	Wisconsin Rapids, Wis.
			A second of the
		**	SURVINIO
	,		
		DATA SHOWN CERTIFIED CO	N HERE ON ORRECT: (
,		Another.	y B Kachows
・ディ8-87 - FORTH - P 1 F ベルファロロー・ベル		Registered Land	
··		DATE:	2/3/8/
THE CUETCH		/	
TIE SKETCH	roads tous sins		Moors
Show at least four ties, also fence lines and type of witness trees' and if off rearrive at corner.	oad - best way to		Mo
arrive at corner.	X X X X Y	x x x x x x x x x x x x x x x x x x x	,
18"BLACK	200	"CEDAR/BT	FENCE CORNER
OAK/8T	× 1. 6	7) ' 25 JA	POST
4" <i>8</i> 4	±79'	/ 100	O × * * * ×
OAK	72 ~	TRAIL SIGHT	<i>O</i> ×
	30.0	9	±41'
	**	<u> </u>	↓
			X
	/ 1		x
Field Property	4 1/	4_ 53	Х
Fie.		4000 S3.88.	
	- 3 · · · · · · · · · · · · · · · · · ·		••
- 1.5% p ^{3.7}	CA .	~	X (3) 16" BLACK OAK/BT

MAINTENANCE RECORD

DATE	BY WHOM	REMARKS
28-2-8	PK-55	O.K.
3-18-87	55	OK
1-6-92	GR-JG	OK
12-1-97	V6-55	
2-27-02	TG	OK
9-20-07	JG	o t
01-11-12	GR	1 NEW 715
		
		·
	·	