OT ADAMS COUNTY COUNTY

ROMPORTOL ID: 41707210020

PUBLIC LAND SURVEY MONUMENT RECORD

HARRISON TYPE OF MONUMENT: ADAMS COUNTY COORDINATES, NAD 83 (2007) N. **203086.154** E. 570522.264


_ DATUM_ **ELEVATION-_**

FIELD WORK DATE: 04/17/2019

BASIS FOR MONUMENT LOCATION

1979 - PLS 1478 SET CORNER EQUIDISTANT AND ON LINE BETWEEN ADJACENT SECTION CORNERS. EXCAVATION WITH BACKHOE OPPOSITE THE FENCES YIELDED NO EVIDENCE OF ANY PREVIOUS MONUMENTATIOIN.

2019 - PLS 2675 FOUND MAG NAIL IN THE ROAD SURFACE, REMOVED THE NAIL AND FOUND A HARRISON 4" BELOW THE ROAD SURFACE AND 1 WITNESS. THE MONUMENT AGREES WITH THE EXISTING WITNESS, ACCEPTED THE HARRISON AS THE CORNER LOCATION. SET 4 NEW TIES AND MEASURED TO THE EXISTING WITNESS.



(INDICATE CORNER BY "X")




DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR

-TIE SKETCH

NOTE: THE CORNER FALLS ±1' NORTH OF DUCK CREEK AVE. CENTERLINE.





SET 3/4" x 18" IRON REBAR, 1.50#/FT

FOUND HARRISON MONUMENT

VINYL "T" POST

WITNESS TREE

| Government Land Corner Certificate | | 6 . 4 |
|---|---|-----------------|
| ADAMS County | CORNER NO | 86 |
| - Country | SECTION | |
| TYPE OF MONUMENT: HAKKISUN STATE PLANE COORDINATES: N | TOWN | _17 |
| E | RANGE _ | |
| ELEVATION — M.S.L. DATUM: | | ~ |
| THETA ANGLE: | | |
| FIELD BOOK: 54 PAGE 56 DRAWN BY: B. SULLIVAN | | |
| DRAWN BY: B. SULLIVAN | | - Ni |
| Didd for itely with the control | | IN |
| BASIS FOR MONUMENT LOCATION | | |
| Show info such as: History of corner, with reference to Vol. and pg., dates, surveyor; exact description of monument | <u> </u> | ال |
| and pg., dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; landowner remarks, etc. (Use reverse side if necessary) | LOCATION (Indicated by 'X') | |
| Set corner equidistant and on line between adjace | ent SEAL: | |
| section corners. Excavation with backhoe opposite | the minimum CON | NIIII. |
| fences yielded no evidence of any previous monume | GREGORY RHINEHAR S-1478 Wisconsin Ra Wis. | Dids Dids |
| | ₩ GREGORY | |
| | RHINEHAR S-1478 | |
| | Wisconsin Ra Wis. | pids |
| | | 10 |
| | AND SUR | in of the |
| | SUR SUR | 848180 |
| | DATA SHOWN HERE ON | • |
| | CERTIFIED CORRECT: | • |
| | Sugary PRA | undant |
| | Registered Kand Surveyor | 170 |
| · | DATE: | 1// |
| | | |
| TIE SKETCH | × I | |
| Show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to arrive at corner. 14" RED OAK B.T. | TRRIGATE LO | • |
| _DUCK | <u>+1</u> | CREEK AVI |
| 13. ³ | X X X X X X X X X X X X X X X X X X X | |
| 10"NORWAY B.T. | | 'NORWAY B.T. |
| ₽ ,/, | ^ | |

MAINTENANCE RECORD

| DATE | BY WHOM | REMARKS |
|----------|-------------------------------|-----------|
| 4-20-82 | 6R-SS | O.K. |
| 1-22-87 | JL -55 | 0. K. |
| 12-12-91 | 16-35 16-26 16-cr 16 | OK_ |
| 1-29-97 | 14-CR | OK |
| 2-07-02 | - E- | OK |
| 2-07-02 | 16 | <i>DK</i> |
| | | |
| | | |
| | | |
| | | |
| | · | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |