# OT ADAMS COUNTY CORNER NO: 112 ROMPORTOL ID: 417072500

ROMPORTOL ID: 41707250020


## PUBLIC LAND SURVEY MONUMENT RECORD

**HARRISON** TYPE OF MONUMENT: ADAMS COUNTY COORDINATES, NAD 83 (2007) N. **197853.422** E. 586429.207 ELEVATION-\_\_ - - -DATUM - — — 04/17/2019 FIELD WORK DATE:\_


#### BASIS FOR MONUMENT LOCATION

1982 - PLS 1444 EXCAVATED WITH BACKHOE, FOUND NOTHING. CORNER IS SET EQUIDISTANT AND ON LINE BETWEEN SECTION CORNERS.

2019 - PLS 2675 FOUND HARRISON 4" BELOW THE ROAD SURFACE, 2 TIES, AND 1 WITNESS. THE MONUMENT AGREES WITH THE EXISTING TIES AND WITNESS. ACCEPTED THE HARRISON AS THE CORNER LOCATION, SET 2 NEW TIES AND MEASURED TO THE EXISTING TIES AND WITNESS.



(INDICATE CORNER BY "X")



DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR

#### -TIE SKETCH

NOTE: THE CORNER FALLS ±2' SOUTH OF DYKE AVE. CENTERLINE.






FOUND 1-1/4" O.D. IRON PIPE

FOUND HARRISON MONUMENT

STEEL FENCE POST

VINYL "T" POST



Government Land Corner Certificate		
County	CORNER NO	
TYPE OF MONUMENT: HARRISON		<u>36.</u>
STATE PLANE COORDINATES: N		
E	RANGE _	
ELEVATION — M.S.L. DATUM: THETA ANGLE:	*	7
FIELD BOOK:		
DRAWN BY: LANCE HABECK	<u> </u>	] 7.
		או
BASIS FOR MONUMENT LOCATION		
Show info such as: History of corner, with reference to Vol. and pg., dates, surveyor; exact description of monument	LOCATION	_
and pg., dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; landowner remarks, etc. (Use reverse side if necessary)	(Indicated by 'X') SEAL:	
Everysted with backhar found wathing Course		
Excavated with backhoe, found nothing. Corner is set equidistant and on line between Section	HIN SCONO!	14.
corners.	LANCE J. HABECK S-1444 Stevens Point, Mis	Market State of the Control of the C
	HABECK S-1444	Ma
	Stevens Point,	R B
	1 67 11724 4.7	) s
	ENTO SURVEN	89
	777888888888888888888888888888888888888	
	DATA SHOWN HERE ON	
	CERTIFIED CORRECT:	1
	Registered Land Surveyor	<u>(</u>
	DATE: <u>5/4/82</u>	
TIE SKETCH		
Show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to		
arrive at corner.		
	NW COR.	
$\Phi^{27}$	RON PIPE (CONCRET	
20, 24,	112.62	
DYKE	AVE.	
\(\frac{1}{2}\)		
11.33	t.	
	1 m GONE	J.
NW COR ELE PED	1 12" WHITE O	PAK
CROSS CUT A 1/2	A LETT	
20 3 P	\ \rangle \r	
*@***	1111	
	ENCE.	
	12	

### MAINTENANCE RECORD

DATE	BY WHOM	REMARKS
1-22-87	JL-55	IT" WOAK GOPE - NOTHING ADAILAGE
12-12-91	KZ-JU	DK
2-19-97		0k
2-13-02		1-NEW TIE, COR OK
9-18-07	J6-	OK.
3-5-12	MS	OK