

27
SECTION

18
TOWN

07
RANGE

ADAMS COUNTY

COUNTY CORNER NO: 108
ROMPORTOL ID: 41807270020

PUBLIC LAND SURVEY MONUMENT RECORD

TYPE OF MONUMENT: HARRISON (BROKEN-TOP)
ADAMS COUNTY COORDINATES, NAD 83 (2007)

N. 229779.940

E. 575575.564


ELEVATION- - - - DATUM - - - -

FIELD WORK DATE: 01/14/2020

BASIS FOR MONUMENT LOCATION

1979 - PLS 1478 SET HARRISON MONUMENT ONLINE BETWEEN ADJACENT SECTION CORNERS AND OPPOSITE POSSESSION TO THE SOUTH. THIS LOCATION FITS RECORD DISTANCES TO A FOUND CORNER TO THE EAST AND MATCHES POSSESSION THROUGHOUT THE SECTION.


2020 - PLS 2675 FOUND HARRISON (BROKEN-TOP) MONUMENT 18"± BELOW THE GROUND SURFACE AND 3 WITNESS TREES. THE MONUMENT AGREES WITH ALL 3 WITNESS TREES. ACCEPTED THE HARRISON (BROKEN-TOP) MONUMENT AS THE CORNER LOCATION. SET 4 NEW TIES AND MEASURED TO THE WITNESS TREES.



LOCATION

(INDICATE CORNER BY "X")

SEAL:




DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR


DATE 3/9/2020

TIE SKETCH

NOTE: THE CORNER LANDS 14'±
NORTHWEST OF TRAIL.



MIXED WOODS




MIXED WOODS

- SET 3/4" x 18" IRON REBAR, 1.50#/FT
- ⊕ FOUND HARRISON (BROKEN-TOP) MONUMENT
- ┌ STEEL FENCE POST
- └ VINYL "T" POST
- ☼ WITNESS TREE

Government Land Corner Certificate

Adams County
 TYPE OF MONUMENT: Harrison
 STATE PLANE COORDINATES: N _____
 E _____
 ELEVATION — M.S.L. DATUM: _____
 THETA ANGLE: _____
 FIELD BOOK: 57 PAGE 103
 DRAWN BY: NJ

CORNER NO. 108
 SECTION 34
 TOWN 18
 RANGE 7



LOCATION
(Indicated by 'X')

BASIS FOR MONUMENT LOCATION

Show info such as: History of corner, with reference to Vol. and pg., dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; landowner remarks, etc. (Use reverse side if necessary)

Set monument online between adjacent section corners and opposite possession to the south. This location fits record distances to a found corner to the east and matches possession throughout the section.

SEAL:



DATA SHOWN HERE ON
CERTIFIED CORRECT:

Gregory P. Rhinehart
Registered Land Surveyor

DATE: 10-11-79

TIE SKETCH

Show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to arrive at corner.

