

35
SECTION

18
TOWN

07
RANGE

ADAMS COUNTY

COUNTY CORNER NO: 119

ROMPORTOL ID: 41807352000

PUBLIC LAND SURVEY MONUMENT RECORD

TYPE OF MONUMENT: HARRISON
ADAMS COUNTY COORDINATES, NAD 83 (2007)

N. 227205.866

E. 583516.124


ELEVATION- - - - DATUM - - - -

FIELD WORK DATE: 02/06/2020

BASIS FOR MONUMENT LOCATION

1981 - PLS 878 EXCAVATED 8'X10' HOLE, FOUND NOTHING. NO RECORD OF ANY REMONUMENTATION SUBSEQUENT TO THE ORIGINAL POST. CORNER IS SET HALF-WAY BETWEEN SECTION CORNERS BUT NOT ON A STRAIGHT LINE. THE EAST-WEST LOCATION BASED ON OCCUPATION OF SECTION 36.


2020 - PLS 2675 FOUND HARRISON MONUMENT 6"± BELOW THE ROAD SURFACE AND 1 WITNESS. THE MONUMENT AGREES WITH THE WITNESS. ACCEPTED THE HARRISON MONUMENT AS THE CORNER LOCATION. SET 4 NEW TIES AND MEASURED TO THE EXISTING WITNESS.



LOCATION

(INDICATE CORNER BY "X")

SEAL:





DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR

DATE 3/9/2020

- TIE SKETCH

NOTE: THE CORNER LANDS 1± LANDS WEST OF THE CENTERLINE OF CTH "G".




- SET 3/4" x 18" IRON REBAR, 1.50#/FT
- ⊕ FOUND HARRISON MONUMENT
- VINYL "T" POST
- MAGNAIL IN RR TIE FENCE CORNER

Government Land Corner Certificate

ADAMS County
 TYPE OF MONUMENT: HARRISON
 STATE PLANE COORDINATES: N _____
 E _____
 ELEVATION — M.S.L. DATUM: _____
 THETA ANGLE: _____
 FIELD BOOK: 88 PAGE 65
 DRAWN BY: L. Coombs

CORNER NO. 119
 SECTION 36
 TOWN 18
 RANGE 7



LOCATION
(Indicated by 'X')

BASIS FOR MONUMENT LOCATION

Show info such as: History of corner, with reference to Vol. and pg., dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; landowner remarks, etc. (Use reverse side if necessary)

Excavated 8'x10' hole, found nothing. No record of any remonumentation subsequent to the original post. Corner is set half-way between Section corners but not on a straight line. The East-West location based on occupation of Section 36.

SEAL:



DATA SHOWN HERE ON
CERTIFIED CORRECT:

Anthony B. Kiedrowski
Registered Land Surveyor

DATE: 10/7/81

TIE SKETCH

Show at least four ties, also fence lines, roads, topo, size and type of witness trees and if off road - best way to arrive at corner.

