

25
SECTION

19
TOWN

06
RANGE

ADAMS COUNTY

COUNTY CORNER NO: 100

ROMPORTOL ID: 41906252000

PUBLIC LAND SURVEY MONUMENT RECORD

TYPE OF MONUMENT: HARRISON (BROKEN-TOP)
ADAMS COUNTY COORDINATES, NAD 83 (2007)

N. 263898.557

E. 557195.821

ELEVATION- _____ DATUM _____


FIELD WORK DATE: 01/29/2018

BASIS FOR MONUMENT LOCATION

1979 - PLS 1478 SET HARRISON MONUMENT USING SINGLE PROPORTIONATE MEASUREMENT AND ON A LINE BETWEEN ADJACENT SECTION CORNERS AND TIED OUT.

2007 - PLS (UNKNOWN) NOTED 4 WITNESSES GONE AND TOP BROKEN OFF HARRISON, RE-TIED CORNER.

2018 - PLS 2994 FOUND A HARRISON MONUMENT WITH A BROKEN-TOP 6" BELOW THE GROUND SURFACE. FOUND NO EVIDENCE OF ANY OF THE WITNESSES DUE TO RECENT LOGGING. ACCEPTED THE HARRISON MONUMENT WITH A BROKEN-TOP AS THE BEST EVIDENCE OF THE CORNER LOCATION. SET 4 NEW TIES AND MEASURED TO THE TIES.



LOCATION
(INDICATE CORNER BY "X")

SEAL:





DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR

DATE 3-1-18

- TIE SKETCH -

NOTE: THE CORNER FALLS 11± EAST OF THE CENTERLINE OF THE TRAIL.




- 3/4" x 18" IRON REBAR SET, 1.50#/FT
- ⊕ HARRISON (BROKEN-TOP) FOUND
- ↗ STEEL FENCE POST
- VINYL "T" POST

Government Land Corner Certificate

ADAMS County
 TYPE OF MONUMENT: HARRISON Monument
 STATE PLANE COORDINATES: N _____
 E _____
 ELEVATION — M.S.L. DATUM: _____
 THETA ANGLE: _____
 FIELD BOOK: 83 PAGE 23
 DRAWN BY: RHINEHART

CORNER NO. 100
 SECTION 25
 TOWN 19
 RANGE 6



LOCATION
(Indicated by 'X')

BASIS FOR MONUMENT LOCATION

Show info such as: History of corner, with reference to Vol. and pg., dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; landowner remarks, etc. (Use reverse side if necessary)

Set single proportionate and on line between adjacent section corners.

SEAL:



DATA SHOWN HERE ON CERTIFIED CORRECT:

Gregory P Rhinehart
Registered Land Surveyor

DATE: 12/31/79

TIE SKETCH

Show at least four ties, also fence lines, roads, topo, size and type of witness trees and if off road - best way to arrive at corner.

