# OB ADAMS COUNTY

COUNTY CORNER NO: 10 ROMPORTOL ID: 42006029020

## PUBLIC LAND SURVEY MONUMENT RECORD

HARRISON (BROKEN TOP) TYPE OF MONUMENT: ADAMS COUNTY COORDINATES, NAD 83 (2007)

N. 321385.129

E. 549030.388


**ELEVATION-**DATUM — — —

FIELD WORK DATE: 12/20/2016

#### BASIS FOR MONUMENT LOCATION

1981 - PLS 878 FOUND NO RECORD OF ANY RESURVEYS EXCAVATED WITH A BACKHOE AND FOUND NOTHING. SET A HARRISON EQUIDISTANT BETWEEN THE NW AND NE CORNERS AND ONLINE WITH THE ADJACENT WOOD COUNTY CORNERS.

2017 - PLS 2994 FOUND EXISTING HARRISON WITH A BROKEN TOP AND 4 EXISTING TIES. THE HARRISON AGREES WITH THE EXISTING TIES. ACCEPTED HARRISON MEASURED TO THE 4 EXISTING TIES.



LOCATION (INDICATE CORNER BY "X")



DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR


#### - TIE SKETCH

NOTE: THE CORNER FALLS 4'± SOUTH OF THE CENTERLINE OF ADAMS AVE.



 3/4" x 18" IRON REBAR SET, 1.50#/FT **⊕ ALUMINUM CAPPED 1" IRON PIPE FOUND** HARRISON FOUND → VINYL "T" POST **EXISTING STEEL POST** 

WITNESS TREE FOUND



Government Land Con	rner Certificate	٠,		
ADAMS	County		CORNER NO	10
TYPE OF MONUMENT: HARA	erson/		SECTION .	
STATE PLANE COORDINATES:		<del></del>	TOWN .	20
	E		RANGE	<u>6</u>
ELEVATION — M.S.L. DATUM:		<del></del>	<del></del>	7
THETA ANGLE: FIELD BOOK:		<del></del>		
DRAWN BY: N.J.		<del></del>		7.
BASIS FOR MONUMENT LO	CATION /			
Show info such as: History of corner,	with reference to Vol.			ل
and pg., dates, surveyor; exact desc replaced; if location computed, by tar landowner remarks, etc. (Use reverse)	ped or EDM traverse;		LOCATION	
iandowner temarks, etc. (Use reverse	stae if necessary)	SEAL	(Indicated by 'X')	
No record of any resurve	evs. Excavation wit	ha l	A CHARLES	THE .
backhoe failed to uncove	er any monument. Th	is	ANTHONY KIEDROWS S-878 Wisconstin Ra	SIAM
corner is set equidistar corners of this section.			ANTHONY	
S & and SE corners of se		en the	ANTHONY KIEDROWS	ski 🔰
·		ł	S-878 Wisconsin Ra	Mds.
			Wis.	
0k 7-9-84 GR-DK		1	A Divinion	
ON 7-3 OF UN-DIX		1_	III, SUR	1888183
			A SHOWN HERE ON	~
			TIFIED CORRECT:	
		Pagin	ered Land Surveyor	alreed 2
			1/5/01	
		DAT	E:	
TIE SKETCH			•	
Show at least four ties, also fence line and type of witness trees' and if off				
arrive at corner.	VEW PIN	E PLANTATIO	ON	•
/x:	EY IP + WITNESS CAP	⊗ /×z×	IP & WITNESS CAP	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	, 4	•	
& ADAM	6 1 25 ·	46.18 m	A. I.	
2 /2///			AVE	
	<b>↓</b>			
	Y			<del></del>
	31. <sup>11</sup>	1 4.7.		
	<b>⊗</b>	- 9 <del>:</del> -	- "	
/×××/	IP+WITNESS CAP	'	NESSY'IP & WITHESS	mP
		IAND	0 - 7 - 2	
	OPEN	ans		
	01010	LIRE LANE	•	
	**	₩.		

### MAINTENANCE RECORD

DATE	BY WHOM	REMARKS
5-23-89	6R-KZ	oK
3-7-94	GR-JG JG JG SS	OK
2-12-99	To	o k
2-27-04	Jo	OK
07-09-09	_ SS	TOP BROKEN BOTTOM IN PLACE - TIES OF
		•