# 06 RANGE ADAMS COUNTY COUNTY CORNER NO: 47 ROMPORTOL ID: 42006090000


## PUBLIC LAND SURVEY MONUMENT RECORD

**HARRISON** TYPE OF MONUMENT:\_ ADAMS COUNTY COORDINATES, NAD 83 (2007) N. 308798.723 E. 541189.178 ELEVATION- - - -DATUM FIELD WORK DATE: 05/07/2018


#### BASIS FOR MONUMENT LOCATION

1981 - PLS 1167 FOUND NO EVIDENCE OF THE ORIGINAL MONUMENT OR ANY REMONUMENTATION. CALCULATED CORNER LOCATION PER INFORMATION FROM RLS 699 AND INFORMATION ON INVERNESS ADD. TO LAKE CAMELOT SUBDIVISION, SET HARRISON AND TIED OUT.

2018 - PLS 2994 FOUND A HARRISON MONUMENT 6" BELOW THE GROUND SURFACE AND 2 PROPERTY IRONS. FOUND NO EVIDENCE OF ANY OF THE WITNESSES. ACCEPTED THE HARRISON MONUMENT AS THE BEST EVIDENCE OF THE CORNER LOCATION. SET 2 NEW TIES AND MEASURED TO THE TIES.



(INDICATE CORNER BY "X")



DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR


7-18-18 DATE

#### -TIE SKETCH

NOTE: THE CORNER FALLS 5'± SOUTH OF THE NORTH EDGE OF THE ISLAND OF SHORT SWORD CT.



- SET 3/4" x 18" IRON REBAR, 1.50#/FT
- O FOUND 3/4" IRON ROD
- FOUND 1" O.D. IRON PIPE
- FOUND HARRISON MONUMENT



### **Government Land Corner Certificate** CORNER NO. 16 County SECTION TYPE OF MONUMENT: \_ 20 TOWN STATE PLANE COORDINATES: 6E RANGE ELEVATION — M.S.L. DATUM: \_ THETA ANGLE: FIELD BOOK: . \_ PAGE \_ DRAWN BY: \_ BASIS FOR MONUMENT LOCATION Show info such as: History of corner, with reference to Vol. and pg., dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; LOCATION landowner remarks, etc. (Use reverse side if necessary) (Indicated by 'X') SEAL: No evidence could be found for original monument or of any remonumentation. Set Corner per information from RIS 699, and information on Inverness Add. to Lake Camelot. WAYNE BASLE 1167 WIS. RAPIDS Ok 5-11-84 SS-DK WIS. OF 2-23.89 55 AND SURVE AND SURVE OK 3/01/94 GR-55 1-60NE. 2-11EN, 3-4-77-16-54 ADD 1 TIE -MON OK 8-31-04 55 DATA SHOWN HERE ON 2-10-09 CERTIFIED CORRECT: Registered Land Surveyor Nov. 1981 TIE SKETCH LARAGE OF Show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to House arrive at corner. \$ 306 Power Box BETWEEN HSE # 300-302) Short Traveled Traveled 75.7 SLOPE HYDRANIT BETWEEN

ys word

#301 /303

## MAINTENANCE RECORD

DATE	BY WHOM	REMARKS
	· · · · · · · · · · · · · · · · · · ·	
	<del> </del>	