

PUBLIC LAND SURVEY MONUMENT RECORD

TYPE OF MONUMENT: 2-3/8" O.D. IRON PIPE W/ALUMINUM CAP (MEANDER CORNER)
 ADAMS COUNTY COORDINATES, NAD 83 (2007)

N. 306736.093

E. 546478.431


ELEVATION- DATUM

FIELD WORK DATE: 05/09/2018

BASIS FOR MONUMENT LOCATION


1981 - PLS 878 QUARTER CORNER IS UNDER WATER. THIS MEANDER CORNER WAS CALCULATED ON A STRAIGHT LINE BETWEEN THE NORTHEAST AND EAST SECTION CORNERS AND 2150.00 FEET SOUTH OF THE NORTHEAST CORNER OF SECTION 15. SET A 2-3/8" IRON PIPE W/ALUMINUM CAP AND TIED OUT.

2018 - PLS 2994 FOUND A 2-3/8" O.D. IRON PIPE W/ALUMINUM CAP 18" BELOW THE GROUND SURFACE AND 1 TIE. THE MONUMENT AGREES WITH THE EXISTING TIE. ACCEPTED THE 2-3/8" O.D. IRON PIPE W/ALUMINUM CAP AS THE MEANDER CORNER LOCATION. SET 1 NEW TIE AND MEASURED TO THE TIES AND THE NE AND SE CORNERS OF SECTION 15.



LOCATION
 (INDICATE CORNER BY "X")

SEAL:




DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR

DATE 7-18-18

TIE SKETCH




- SET 3/4" x 18" IRON REBAR, 1.50#/FT
- ◎ FOUND 2-3/8" O.D. IRON PIPE
- ⊕ FOUND M.C. 2-3/8" O.D. IRON PIPE W/ALUMINUM CAP

Government Land Corner Certificate

ADAMS County
 TYPE OF MONUMENT: 2" IP & CAP
 STATE PLANE COORDINATES: N _____
 E _____
 ELEVATION — M.S.L. DATUM: _____
 THETA ANGLE: _____
 FIELD BOOK: 69 PAGE 134
 DRAWN BY: N.J.

CORNER NO. MC 58
 SECTION 14
 TOWN 20
 RANGE 6



LOCATION
 (Indicated by 'X')

BASIS FOR MONUMENT LOCATION

Show info such as: History of corner, with reference to Vol. and pg., dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; landowner remarks, etc. (Use reverse side if necessary)

Quarter corner now under water. This witness corner set on a straight line between section corners and 2150.00 feet south of the northwest corner section 14.

- OK 4-23-84 DJK
- OK 3-8-84 59-6A
- OK 3-01-94 62-55
- OK 2-17-99-JG
- OK, 2-24-04-JG
- 02-07-10 TIE OK

SEAL:



DATA SHOWN HERE ON
 CERTIFIED CORRECT:

Anthony B. Kiedrowski
 Registered Land Surveyor

DATE: 8/4/81

TIE SKETCH

Show at least four ties, also fence lines, roads, topo, size and type of witness trees and if off road - best way to arrive at corner.

