

PUBLIC LAND SURVEY MONUMENT RECORD

TYPE OF MONUMENT: HARRISON (BROKEN-TOP)

ADAMS COUNTY COORDINATES, NAD 83 (2007)

N. 303480.484

E. 538560.226


ELEVATION- - - - DATUM - - - -

FIELD WORK DATE: 05/09/2018

BASIS FOR MONUMENT LOCATION

1981 - PLS 878 NO RECORDS OF ANY RESURVEYS OR POSSESSION LINES IN THE AREA. THIS CORNER WAS NOT USED IN THE SURVEY OF LAKE SHERWOOD PLATS. DID NOT DIG FOR THE CORNER BECAUSE OF THE FOREGOING REASONS. HARRISON MONUMENT SET ON A STRAIGHT LINE EQUIDISTANT BETWEEN SECTION CORNERS AND TIED OUT.


2018 - PLS 2994 FOUND A HARRISON MONUMENT WITH A BROKEN-TOP 6" BELOW THE ROAD SURFACE. FOUND NO EVIDENCE OF ANY OF THE EXISTING WITNESSES. ACCEPTED THE HARRISON MONUMENT WITH A BROKEN-TOP AS THE BEST EVIDENCE OF THE CORNER LOCATION. SET 4 NEW TIES AND MEASURED TO THE TIES.



LOCATION

(INDICATE CORNER BY "X")

SEAL:





DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR

DATE 7-18-18

- TIE SKETCH

NOTE: THE CORNER FALLS 5± NORTH OF THE CENTERLINE OF APACHE AVE.



- SET 3/4" x 18" IRON REBAR, 1.50#/FT
- ⊕ FOUND HARRISON MONUMENT (BROKEN-TOP)
- VINYL "T" POST

Government Land Corner Certificate

ADAMS County

TYPE OF MONUMENT: HARRISON

STATE PLANE COORDINATES: N _____
E _____


ELEVATION — M.S.L. DATUM: _____

THETA ANGLE: _____

FIELD BOOK: 69 PAGE 133

DRAWN BY: NJ

CORNER NO. 66
SECTION 21
TOWN 20
RANGE 6



LOCATION
(Indicated by 'X')

BASIS FOR MONUMENT LOCATION

Show info such as: History of corner, with reference to Vol. and pg., dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; landowner remarks, etc. (Use reverse side if necessary)

SEAL:



No records of resurveys. No possession lines in the area. This corner not used in the survey of Lake Sherwood plats. This corner not dug for because of the foregoing reasons. Harrison monument set on a straight line equidistant between section corners.

Ok 4-19-84 DJK

DATA SHOWN HERE ON
CERTIFIED CORRECT:

Anthony B. Kiedrowski
Registered Land Surveyor


DATE: 8/4/81

TIE SKETCH

Show at least four ties, also fence lines, roads, topo, size and type of witness trees and if off road - best way to arrive at corner.

'04 NW COR. ELEC. /
BOX @ TOP

34.23 SW X CEMENT
FOUNDATION UNDER E EAST
GROUND JUNCTION BOX
BLUE KIEL



6" OAK/BT

6" BURL
6" OAK/BT

