

## PUBLIC LAND SURVEY MONUMENT RECORD

TYPE OF MONUMENT: HARRISON  
 ADAMS COUNTY COORDINATES, NAD 83 (2007)

N. 300964.190

E. 557108.345


ELEVATION-      DATUM     

FIELD WORK DATE: 02/06/2018

### BASIS FOR MONUMENT LOCATION

1982 - PLS 1167 TRAVERSED AREA AND SEARCHED LOCATION. UNABLE TO LOCATE ANY EVIDENCE TO THE ORIGINAL CORNER OR ANY REMONUMENTED CORNER. CALCULATED THE CORNER MIDWAY ON A STRAIGHT LINE BETWEEN EXISTING SECTION CORNERS. SET A HARRISON MONUMENT AT CALCULATED LOCATION AND TIED OUT.

2018 - PLS 2994 FOUND A HARRISON MONUMENT FLUSH WITH THE GROUND SURFACE AND 1 WITNESS TREE. THE MONUMENT AGREES WITH THE EXISTING WITNESS TREE. ACCEPTED THE HARRISON MONUMENT AS THE CORNER LOCATION. SET 4 NEW TIES AND MEASURED TO THE TIES AND WITNESS TREE.



**LOCATION**  
 (INDICATE CORNER BY "X")

SEAL:





DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR

DATE 3-1-18

### - TIE SKETCH

NOTE: THE CORNER FALLS 3± SOUTH OF THE MAINTAINED FENCE.




- 3/4" x 18" IRON REBAR SET, 1.50#/FT
- ⊙ HARRISON FOUND
- VINYL "T" POST
- ☁ FOUND WITNESS TREE

# Government Land Corner Certificate

Adams County  
 TYPE OF MONUMENT: HARRISON  
 STATE PLANE COORDINATES: N \_\_\_\_\_  
 E \_\_\_\_\_  
 ELEVATION — M.S.L. DATUM: \_\_\_\_\_  
 THETA ANGLE: \_\_\_\_\_  
 FIELD BOOK: LL PAGE \_\_\_\_\_  
 DRAWN BY: Basler

CORNER NO. 80  
 SECTION 24  
 TOWN 20  
 RANGE 6E




LOCATION  
(Indicated by 'X')

## BASIS FOR MONUMENT LOCATION


Show info such as: History of corner, with reference to Vol. and pg., dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; landowner remarks, etc. (Use reverse side if necessary)

Traversed area to locate search location.  
 Unable to locate any evidence to original corner or of any remonumented corner.  
 Set corner midway on a straight line between existing Section corners.

SEAL:



DATA SHOWN HERE ON  
CERTIFIED CORRECT:

  
 Registered Land Surveyor

DATE: 4-19-82

## TIE SKETCH

Show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to arrive at corner.

