13 **SECTION** 15

ADAMS COUNTY

COUNTY CORNER NO: 60

ROMPORTOL ID: 41507132000


PUBLIC LAND SURVEY MONUMENT RECORD

1.0" IRON ROD TYPE OF MONUMENT: ADAMS COUNTY COORDINATES, NAD 83 (2007) N. **151397.566** E. 588974.102 **ELEVATION-**DATUM_ - - -FIELD WORK DATE: 2/1/2017

BASIS FOR MONUMENT LOCATION

1974- PLS 417 SET HARRISON ON A STRAIGHT LINE EQUIDISTANCE BETWEEN SECTION CORNERS ON THE BASIS OF COMPUTED COORDINATES. CORNER FALLS ON A NORTH-SOUTH FENCE LINE WITHIN THE RIGHT-OF-WAY OF STH 82.

2017 - PLS 2994 FOUND EXISTING 1.0" IRON ROD 6" BELOW SURFACE, ACCEPTED THE 1.0" IRON ROD AND SET 3 NEW TIES AND MEASURE TO AN EXISTING PROPERTY IRON.



LOCATION (INDICATE CORNER BY "X")



DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR

DATE


- TIE SKETCH

NOTE: THE CORNER FALLS 28'± NORTH OF THE CENTERLINE OF STH 82.



 3/4" x 18" IRON REBAR SET, 1.50#/FT 3/4" IRON ROD FOUND

● 1.0" IRON ROD FOUND → VINYL "T" POST → STEEL "T" POST



ADAMS COUNTY			CORNER NO.	355
Survey Monument	Rogard		SECTION	13
TYPE OF MONUMENT: 14			TOWN .	15 N
STATE PLANE COORDINA			RANGE .	7E
	E			
	UM:	_		. !
THETA ANGLE: FIELD BOOK: Clip sh	neets PAGE			1
•				* 1
BASIS FOR MONUMENT	LOCATION		ļ	
(Use reverse side if necessary)		,	<u> </u>	
Show info such as: History of and pg, dates, surveyor; exact desif location computed, by taped remarks, etc.	cription of monument replaced.	SEAL:	LOCATION (Indicated by 'X')	
Set on a straig between section coordinates.	ght line equidistar corners on the ba	nt asis of computed		
On line with N-	S fence line.		WIISCO R.	NSIA
Corner located Trk. Hwy. "82"	within R.O.W. of S	St.	SAYI Winned Wisco	ER
, ,	- replaced 10-29-7		5-9	25
ه د	R-55 2-19-86		SUI	RVE
P.F. KEMPIN 5-8	194 JG-55	CERTIFI	ED CORRECT:	
FD I ROD AT PARA	CER LOCATERIA) Intim 14	- 1 R.K	Day lan	
TO MEASURE CHECK	MARQUETTE LO SURVEY	Registered DATE:	Land Surveyor	`
3-17-11 53 6		DATE: -		
TIE SKETCH	GONE SONE	BOTTLE CAP PAINTE	ED ORANGE IN POW	IER POLE
(Show at least four ties)	32.56 Noery	PND SIGNU		
+	ROW LINE W			
±27' N of &	•	CORNER DRIVEN	NE OF E	j.
		\(\begin{array}{cccccccccccccccccccccccccccccccccccc	0	
	9	HWY. 82		
	4 1	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		
		19 N		
	4 [1]	1/4		
	ROW. LINE	1 5		
	V	NEW P. POL	- Æ	
	'	OBOTTLE CAP PAINT		WER POLE
	csmu p ab	А		
	C5 7 2 7 7 7 7 9 10 17	А		

MAINTENSINCE RECORD

Date	l'est.	Remarks
12.30-81	TH-W	Mone TIES O.K
~	{	
×	ļ.——	
	i .	