SECTION

<u>15</u> TOWN

## OT ADAMS COUNTY

COUNTY CORNER NO: 123

ROMPORTOL ID: 41507310000


## PUBLIC LAND SURVEY MONUMENT RECORD

**HARRISON** TYPE OF MONUMENT: ADAMS COUNTY COORDINATES, NAD 83 (2007) N. **132917.726** E. 562634.966 ELEVATION-DATUM — -10/03/2017 FIELD WORK DATE:


## BASIS FOR MONUMENT LOCATION

1977 - PLS 922 FOUND REMNANTS OF ONE ORIGINAL BEARING TREE. (DEPRESSION IN THE GROUND AND ROOTS). RE-SET CORNER FROM GOV'T TIES. SET A 30" HARRISON MONUMENT AT THE CORNER LOCATION AND TIED OUT.

2017 - PLS 2994 FOUND A HARRISON MONUMENT FLUSH WITH THE ROAD SURFACE, 3 TIES AND 1 WITNESS. THE MONUMENT AGREES WITH THE EXISTING TIES AND WITNESS. ACCEPTED THE HARRISON MONUMENT AS THE CORNER LOCATION. SET 2 NEW TIES AND MEASURED TO THE TIES AND WITNESS.



LOCATION (INDICATE CORNER BY "X")



DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR


12-21-17

- TIE SKETCH

NOTE: THE CORNER FALLS 5'± NORTH OF THE CENTERLINE OF GALE AVE.



- 3/4" x 18" IRON REBAR SET, 1.50#/FT
- O 7/8" IRON ROD FOUND
- ⊕ RR SPIKE FOUND
- HARRISON FOUND
- VINYL "T" POST
- WITNESS TREE FOUND



ADAMS COUNTY	CORNER NO. <u>123</u>
Survey Monument Record	SECTION 31
TYPE OF MONUMENT: 36" STANDARD HARRISON	TOWN
STATE PLANE COORDINATES: N	$\frac{7}{6}$
E	<u> </u>
ELEVATION — M.S.L. DATUM: THETA ANGLE:	
FIELD BOOK: 486 PAGE 54	
BASIS FOR MONUMENT LOCATION	=
(Use reverse side if necessary)	
Show info such as: History of corner, with reference to Vol. and pg, dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; landowner remarks, etc.	LOCATION (Indicated by 'X') SEAL:
FOUND REMNANTS OF ONE ORIGINAL	Milling,
BEARING TREE. (DEPRESSION IN	MINISCONSINI
GROUND AND ROOTS.) RESET CORNER	FREDERIC
FROM GOV'T TIES	SEAL:  FREDERIC  W.  ZIETLOW  S-922  Baraboo  WIS.
	5-922 * E
MAINTENANCE RECORD	Baraboo / E
Date Juit.   Premarks	WIS. COLLINS OF STREET OF
12-28-81 TH-NJ Ties O.K.	W. SORVING
2-3-86 GR-55 -K	
5-3-91 55-16 ALL OK 2-26-01 JG OK	CERTIFIED CORRECT:
1-31-06 JG OK	freder Willetts
12-21-11 MS Z NEW TIES	Registered Land Surveyor DATE: AUGUST 24, 19
TIE SKETCH	
(Show at least four ties)  PK NAIL ESHINER	•
IN 14" WHITE OAK	
DND SIGN	•
* B 33.51	
NAIL 49	•
NAIL 49.22	
	,
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	SALE AVE.
EXISTING RAILROAD SPIKE OF STATE OF STA	
7_ = 000	SET 76"X24" ROD
~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	
SET 76"X 24" ROD 7	