16 TOWN

ADAMS COUNTY COUNTY CORNER NO: 116 ROMPORTOL ID: 41606322000

PUBLIC LAND SURVEY MONUMENT RECORD

TYPE OF MONUMENT: ADAMS COUNTY COORDINATES, NAD 83 (2007)

N. 167315.175

E. 536579.226


- — — DATUM

11/25/2020 FIELD WORK DATE:


BASIS FOR MONUMENT LOCATION

1975 - PLS 922 CHECKED COUNTY SURVEY RECORDS AND NO RESURVEYS WERE FOUND. SET HARRISON MONUMENT AT INTERSECTION OF CENTERLINES. FIT TAPED TRAVERSE OF SECTION GOOD. IN 1962 DON MCCONAGHY DID A SURVEY IN THIS SECTION. BACKED OUT HIS SURVEY TO FIT THIS CORNER. THE CORNER WAS NOT MONUMENTED BY MCCONAGHY.

2020 - PLS 2675 FOUND HARRISON 2"± BELOW THE ROAD SURFACE AND 3 WITNESSES. THE MONUMENT AGREES WITH ALL 3 WITNESSES. ACCEPTED THE HARRISON AS THE CORNER LOCATION. SET 4 NEW TIES AND MEASURED TO THE EXISTING 3 WITNESSES.



(INDICATE CORNER BY "X")



DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR 2020

-TIE SKETCH

NOTE: THE CORNER LANDS ON THE CENTERLINE OF EVERGREEN DR.



- MIXED WOODS YARD SET 18"± DOWN **EVERGREEN** DR. S47° 08' 08"E 49.49' MIXED WOODS S42°E 54'+/-PINE PLANTATION
- SET 3/4" x 18" IRON REBAR, 1.50#/FT
- FOUND HARRISON MONUMENT
- WITNESS POWER POLE
- VINYL "T" POST
- WITNESS TREE

ADAMS COUNTY

Survey Monument Record

THETA ANGLE:

FIELD BOOK: 429 ADAMS CO. PAGE 36

BASIS FOR MONUMENT LOCATION

(Use reverse side if necessary)

Show info such as: History of corner, with reference to Vol. and pg, dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; landowner remarks, etc.

CHECKED COUNTY SURVEY RECORDS AND NO RESURVEYS WERE FOUND. SET HARRISON MONUMENT AT INTERSECTION OF CENTERLINES. FIT TAPED TRAVERSE OF SECTION GOOD.

IN 1962 DON McCONAGHY DID A SURVEY IN THIS SECTION. WE BACKED OUT HIS SURVEY TO FIT THIS CORNER. THE CORNER WAS NOTMONUMENTED BY McCONAGHY

COR OK 10/17/80 KV-SK

ALL OK 6-26-85 GR-SS

ALL OK 2-12-90 KZ-GR


ALL OK 1-9-95 JG-BS

0K 2-17-00 SS

ALL OK 2-25-05-JG OK 1-15-10 55 SECTION 33

TOWN 16

RANGE 6



LOCATION
(Indicated by 'X')

SEAL:

ZIETLOW
S-922
Baraboo
WIS.

CERTIFIED CORRECT:

Freden W. Zo Registered Land Surveyor

DATE: MAY 15, 1975

TIE SKETCH

(Show at least four ties)

NAIL IN POWER POLES

NAIL IN POWER POLE

DR.

NAIL IN G"NORWAY PINE

NAIL IN 16" OAK 18T

Ŵ

REVISED 1974

