OT RANGE ADAMS COUNTY COUNTY CORNER NO: 88 ROMPORTOL ID: 41807220020

PUBLIC LAND SURVEY MONUMENT RECORD

HARRISON TYPE OF MONUMENT: ADAMS COUNTY COORDINATES, NAD 83 (2007)

N 235081.050

E. 575548.742

DATUM **ELEVATION-**

02/05/2020 FIELD WORK DATE:


BASIS FOR MONUMENT LOCATION

1981 - PLS 878 NO RECORD OF ANY RESURVEYS. EXCAVATED 8'X10' AREA WITH BACKHOE. FOUND NOTHING. CORNER IS SET ON A STRAIGHT LINE AND EQUIDISTANT BETWEEN SECTION CORNERS.

2020 - PLS 2675 FOUND HARRISON MONUMENT 12"± BELOW THE DRIVEWAY AND 4 WITNESS TREES. THE MONUMENT AGREES WITH ALL THE WITNESS TREES. ACCEPTED THE HARRISON MONUMENT AS THE CORNER LOCATION. SET 4 NEW TIES AND MEASURED TO THE EXISTING WITNESS TREES.



(INDICATE CORNER BY "X")




DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR 2020

-TIE SKETCH

NOTE: THE CORNER LANDS 12'± SOUTH OF CENTERLINE OF CYPRESS AVE.





- SET 3/4" x 18" IRON REBAR, 1.50#/FT
- FOUND HARRISON MONUMENT
- VINYL "T" POST
- WITNESS TREE

Government Land Corner Certificate			, ·
_ADAMS County		CORNER N	
TYPE OF MONUMENT: HARRISON		SECTION	
STATE PLANE COORDINATES: N		TOWN RANGE	
ELEVATION — M.S.L. DATUM:		RAINGE	
THETA ANGLE:			
FIELD BOOK: 38 PAGE 54 DRAWN BY: 4. COOMBS			4
			N
BASIS FOR MONUMENT LOCATION			
Show info such as: History of corner, with reference to Vol. and pg., dates, surveyor; exact description of monument		<u> </u>	
replaced; if location computed, by taped or EDM traverse; landowner remarks, etc. (Use reverse side if necessary)		LOCATION (Indicated by X	מי
No record of any resurveys. Excavated 8 x 1			S.S.W.
area with backhoe. Found nothing. Corner is set on a straight line and equidistant betw	5	ANTHOM KIEDRO S-8: Wisconsir Wis	NSIA
section corners.	46611	ANTHO	NY 8.
	l I	KIEDRO 公式 S-8:	78 🌣 🖺
	ļ	Wisconsir	
			"""Esses
		Minn SU	BA Sierra
	DA CE	ATA SHOWN HERE O	N
	4	Lite and Ke	cles to f
		gistered LandCSurveyor	
	DA	ATE:10/7/81	
TIE SKETCH			
Show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to arrive at corner.			
0" 41 77 4 4 4 7	8" NORWAY	10"OAK/BT. N	_
8"NORWAY PINE IN MARD/NO B.T.	PINEIBT	100	{10"0AK/BT.
J 40 G	14.64 82.99.	96.91	
CYPRESS & E SS. 88.	44.0 gr	- qu'	AVE.
*			
	1		
FIELD			
d.			
5.20 2.70			
Ž (3			
) 10°±	L.		

MAINTENANCE RECORD

DATE	BY WHOM	REMARKS
8-17-82	PK-SS	O. K.
2-18-97	SS	3K
12-2-91	55-56	OK
2-17-97	JG-53	OK
1-14-02	56	OK
4-3-07	56	OK
03-08-12	MS-SS	ok