O4 ADAMS COUNTY CORNER NO: 79 POMPORTO ID: 419042220

ROMPORTOL ID: 41904232000

PUBLIC LAND SURVEY MONUMENT RECORD

HARRISON (BROKEN-TOP) TYPE OF MONUMENT:

ADAMS COUNTY COORDINATES, NAD 83 (2007)

N. 269056.297

E. 489410.040


ELEVATION-___- — — DATUM_

03/19/2019 FIELD WORK DATE:_

BASIS FOR MONUMENT LOCATION

1982 - PLS 878 NO RECORDS OF ANY RESURVEYS. FOUND EVIDENCE, OLD FENCE CORNER. MONUMENTED THAT POINT AFTER ANALYZING AND COMPARING THIS TO THE ORIGINAL NOTES. (SEE BASIS FOR S1/4 **CORNER OF SECTION 24)**

2019 - PLS 2675 FOUND HARRISON (BROKEN-TOP) 2" BELOW GROUND SURFACE AND 2 WITNESS. MONUMENT AGREES WITH BOTH WITNESSES. ACCEPTED THE HARRISON (BROKEN-TOP) AS THE CORNER LOCATION. SET 4 NEW TIES AND MEASURED TO THE **EXISTING WITNESSES...**



(INDICATE CORNER BY "X")



DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.


PROFESSIONAL LAND SURVEYOR

-TIE SKETCH

NOTE: THE CORNER LANDS 65'± FROM WATER EDGE.

NOTE: WITNESS TREE IS 6'± N40°W OF CORNER





MIXED HARDWOODS


MIXED HARDWOODS

SET 3/4" x 18" IRON REBAR, 1.50#/FT

FOUND HARRISON MONUMENT (BROKEN-TOP)

VINYL "T" POST

WITNESS TREE



Government Land Corner Certificate CORNER NO. _ County 24 **SECTION** HARRISON TYPE OF MONUMENT: 19 **TOWN** STATE PLANE COORDINATES: RANGE ELEVATION - M.S.L. DATUM: _ THETA ANGLE: _ FIELD BOOK: _ PAGE . DRAWN BY: __ ROBERT BASIS FOR MONUMENT LOCATION Show info such as: History of corner, with reference to Vol. and pg., dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; landowner remarks, etc. (Use reverse side if necessary) LOCATION ANTHONY P (Indicated by 'X') SEAL: No records of any resurveys. Found evidence, old fence corner. Monumented that point after analyzing and comparing this to the original WILL WILL SURVEY OF THE OF notes. (see basis for S1/2 corner of Section 24) DATA SHOWN HERE ON CERTIFIED CORRECT: Many BX Registered Land Surveyor DATE: 3-5-82 TIE SKETCH Show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to arrive at corner. 11/2 FACING EAST 11/2 10 POPLAR/OT 12"EZM 109 14 4" YELLOW BIRCH - NEW NAIL-14"

FLOWA

MAINTENANCE RECORD

DATE	BY WHOM	REMARKS
1-9-89	6L-KZ	ok.
1-7-89	61.KZ	014
1-26-99	JG	I-NEW TIE, MON. OK
1-5-04 Z-24-09	JG	OK
2-24-09	22	OK 3 NEW TIES