09 SECTION

# OT RANGE ADAMS COUNTY COUNTY CORNER NO: 37 ROMPORTOL ID: 42007092000

## PUBLIC LAND SURVEY MONUMENT RECORD

**HARRISON** TYPE OF MONUMENT:\_ ADAMS COUNTY COORDINATES, NAD 83 (2007) N. **311652.422** E. 572747.073


**ELEVATION-**DATUM - -

2/17/2020 FIELD WORK DATE:

#### BASIS FOR MONUMENT LOCATION

1982 - PLS 1444 THIS CORNER WAS SET EQUIDISTANT AND ON LINE BETWEEN SECTION CORNERS. NO EVIDENCE OF THE ORIGINAL CORNER OR ANY RESURVEY CORNER.

2019 - PLS 2675 FOUND HARRISON MONUMENT 2"± BELOW THE ROAD SURFACE AND 2 WITNESSES, THE MONUMENT AGREES WITH BOTH WITNESSES. ACCEPTED THE HARRISON MONUMENT AS THE CORNER LOCATION. SET 4 NEW TIES AND MEASURED TO THE EXISTING WITNESSES.



LOCATION

(INDICATE CORNER BY "X")



DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR

#### -TIE SKETCH

NOTE: THE CORNER LANDS 4.7'± EAST OF CTH W CENTERLINE.



DRIVEWAY PASTURE 578°W TOP OF SLOP \$53° 08' 39"W 60.80

- SET 3/4" x 18" IRON REBAR, 1.50#/FT
- FOUND HARRISON MONUMENT
- VINYL "T" POST
- FENCE POST WITH SPIKE AND BOTTLE CAP

### Government Land Corner Certificate 37 CORNER NO. -ADAMS County SECTION HARRISON TYPE OF MONUMENT: \_\_ 20 **TOWN** STATE PLANE COORDINATES: RANGE E ELEVATION - M.S.L. DATUM: \_ THETA ANGLE: \_ 88 \_ PAGE \_\_/**48** FIELD BOOK: \_\_\_\_\_ 5.J.H. DRAWN BY: \_\_\_\_\_ BASIS FOR MONUMENT LOCATION Show info such as: History of corner, with reference to Vol. and pg., dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; landowner remarks, etc. (Use reverse side if necessary) LOCATION (Indicated by 'X') SEAL: STATE OF THE PARTY This corner was set equidistant and on line between section corners. No evidence of the original corner or any resurvey corner. HABECK 0k -4-30-84 SS-DK S-1444 Stevens Point. Wis. DATA SHOWN HERE ON CERTIFIED CORRECT: Registered Land Surveyor DATE: \_\_ TIE SKETCH Show at least four ties, also fence lines, roads, topo, size and type of witness trees' and if off road - best way to arrive at corner. FEIRE

52.05

57.08

1" XZ4" I.P. + plug 7" = Edge of pavement |

ence posts

Spike + bottle

## MAINTENANCE RECORD

DATE	BY WHOM	REMARKS
4-20-94	S. S.	O.K.
2-22-99	ゴム	DK
12-10-04	55	8/4
2-22-99 12-10-04 10-07-09	5.5	Mon OK 3 THES REMAIN
	*	