OT RANGE ADAMS COUNTY COUNTY CORNER NO: 75 ROMPORTOL ID: 42007192000


PUBLIC LAND SURVEY MONUMENT RECORD

HARRISON TYPE OF MONUMENT: ADAMS COUNTY COORDINATES, NAD 83 (2007) N. 301019.189 E. 562027.413 ELEVATION- - - -DATUM FIELD WORK DATE: 02/27/2020


BASIS FOR MONUMENT LOCATION

1981 - PLS 878 EXCAVATED WITH BACKHOE, FOUND NOTHING, EXCEPT WHEN DIGGING IN THE WEST SHOULDER, FOUND SOME WIRE REMNANTS OF A FENCE THAT RAN WEST FROM HERE. CORNER IS SET ON LINE AND EQUIDISTANT BETWEEN SECTION CORNERS.

2020 - PLS 2675 FOUND HARRISON 6"± BELOW THE ROAD SURFACE AND 1 TIE. THE MONUMENT AGREES WITH THE TIE. ACCEPTED THE HARRISON AS THE CORNER LOCATION. SET 4 NEW TIES AND MEASURED TO THE EXISTING TIE.



(INDICATE CORNER BY "X")



DATA SHOWN HERE ON THIS TIE SHEET IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PROFESSIONAL LAND SURVEYOR 2020

-TIE SKETCH

NOTE: THE MONUMENT LANDS 10'± WEST OF 6TH AVE. CENTERLINE.

NOTE: THE FOUND IRON ROD IS 12± BELOW THE ROAD.



PASTURE

LOW LAND WOODS

N31° 59' 56"E 39.28

- SET 3/4" x 18" IRON REBAR, 1.50#/FT
- FOUND 3/4" IRON ROD
- FOUND HARRISON MONUMENT
- VINYL "T" POST

Government Land Corner Certificate 75 CORNER NO. . County ADAMS 19 SECTION TYPE OF MONUMENT: HARRISON ZÓ TOWN STATE PLANE COORDINATES: N_ RANGE \mathbf{F} ELEVATION — M.S.L. DATUM: _ THETA ANGLE: __ රිහි PAGE 76 FIELD BOOK: _ DRAWN BY: L. COOMBS BASIS FOR MONUMENT LOCATION Show info such as: History of corner, with reference to Vol. and pg., dates, surveyor; exact description of monument replaced; if location computed, by taped or EDM traverse; landowner remarks, etc. (Use reverse side if necessary) LOCATION (Indicated by 'X') SEAL: STATE SCOVE VILLE Excavated with backhoe, found nothing, except when digging in the west shoulder I found some wire remnants of a fence that ran west from here. Corner is set on line and ANTHONY B. equidistant between section corners. **KIEDROWSKI** S-878 0k 4-20-84 SS-DK Wisconsin Rapids, Wis. OK 4/15/94 JB-55 OK 2-19-99-JG ADD 1 TIE 7-7-0455 DATA SHOWN HERE ON 2 NEW TIES 8-11-10 MON OK CERTIFIED CORRECT: Registered Land Surveyor DATE: __11/4/81 FENCE COR BOTH E &W TIE SKETCH HARRISON I MATCH Show at least four ties, also fence lines, roads, topo, size SET 3/4" POO 2010 and type of witness trees' and if off road - best way to IN350 5 39,1' arrive at corner. DAK 199 DEAD NAILSTILL GOOD" UNE BRUSH South of actual 4P I3' @ RD,

MAINTENANCE RECORD

DATE	BY WHOM	REMARKS
l		
	· · · · · · · · · · · · · · · · · · ·	
,		
		1
		·
-		